SAFETY DATA SHEET (Prepared According to 29 CFR 1910. 1200)

SECTION 1 - IDENTIFICATION		
Trade Name: JUST FOR CARPETS	Product Use: DFE CARPET C	LEANER CONCENTRATE
Supplier: NACE CARE SOLUTIONS	Phone #: 905-795-0122	Emergency Phone #: 800-255-3924
Address: 415 Annagem Blvd Mississauga Ontario L5T 3A7	^{Code:} 34-35A	
SECTION 2 - HAZARDS IDENTIFICATION		

SECTION 2 - HAZARDS IDENTIFICATION Classification: EYE IRRITANT Signal Word: WARNING Symbol(s): Health Hazards: Eye irritant Precautionary Statements: Wash hands thoroughly after handling. If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison control center or doctor. If on skin(or hair): Take off immediately all contaminated clothing. Wash with plenty of water. If skin irritation occurs: Cet medical attention. Wash all contaminated clothing before reuse. In case of fire: use CO2, dry chemical, foam or water spray to extinguish. Store in a cool, well-ventilated place. Dispose of contents and container in accordance with local, state and federal regulations.

SECTION 3 - COMPOSIT/INFORMATION ON INGREDIENT	S		
INGREDIENTS	CAS NO.	% BY WEIGHT	PEL (TLV)
Propylene Glycol n-Butyl Ether	5131-66-8	1-5	see below
Sodium Lauryl Sulfate	151-21-3	1-5	Not est.
Isopropyl Alcohol	67-63-0	1-5	see below

^{*} The specific chemical identity and exact percentage of this ingredient have been withheld as a trade secret.

SECTION 4 - HEAL	TH INFORMATION - FIRST AID MEASURES
Symptoms & Acute Ef	ects: Causes eye irritation.
Delayed Effects: None	known
Typical Routes of Expo	sure; are the skin and eyes.
	TREATMENT
Eyes: If in eyes: Rinse car	tiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a physician.
Skin: If on skin(or hair): Imme	diately remove all contaminated clothing. Wash with plenty of water. If skin irritation occurs: Get medical attention. Wash all contaminated clothing before reuse.
Ingestion: Drink large	quantities of milk or water. Call a physician.
Inhalation: Not applica	ble

SECTION 5 - FIRE-FIGHTING MEASURES				
Flash Point: 178F Lower Explosive Lim	it; Not available Upper Explosive Limit; Not available			
Extinguishing Techniques: In case of fire: use CO2, dry chemical, foam, water spray to extinguish.				
Equipment: Do not enter any confined fire-spaces without protective clothing and self-contained air supply.				
Chemical Hazards from Fire: Carbon monoxide and unidentified organic gases may occur during incomplete combustion.				
Precautions for Fire Fighters: Cool fire exposed containers.				
SECTION 6 - ACCIDENTAL RELEASE MEASURES				
Steps to be Taken: SMALL AMOUNTS - Absorb with suitable abs then shovel into appropriately labeled contain	sorbent. LARGE AMOUNTS - Absorb with suitable absorbent, ers.			
Cleanup Procedures: Contain with absorbent material and requirements.	dispose of in accordance with federal, state and local			
SECTION 7 - HANDLING AND STORAGE				
Precautions to be Take in Handling & Storage: Store in a cool, well-ventilated	place.			
Incompatibility: Strong oxidizers				
SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION				
INGREDIENTS:	EXPOSURE LIMITS			
	50ppm TWA(DOW IHG)			
2-butoxyethanol	50ppm TWA(DOW IHG)			
Isopropyl Alcohol	50ppm TWA(DOW IHG) OSHA (PEL) 400 ppm (TWA)			
·				
Isopropyl Alcohol	OSHA (PEL) 400 ppm (TWA)			
Isopropyl Alcohol	OSHA (PEL) 400 ppm (TWA)			
Eye Protection: Protective Gloves: Ventilation Requirements Local Exaust:	OSHA (PEL) 400 ppm (TWA) Respiratory Protection:			
Eye Protection: Protective Gloves: Ventilation Requirements SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES	OSHA (PEL) 400 ppm (TWA) Respiratory Protection:			
Eye Protection: Protective Gloves: Ventilation Requirements SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES Appearance & Odor: Clear liquid, characteristic odor	OSHA (PEL) 400 ppm (TWA) Respiratory Protection: Mechanical: Room Ventilation is Adequate:			
Eye Protection: Protective Gloves: Ventilation Requirements SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES	OSHA (PEL) 400 ppm (TWA) Respiratory Protection: Mechanical: Room Ventilation is Adequate:			
Eye Protection: Protective Gloves: Ventilation Requirements SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES Appearance & Odor: Clear liquid, characteristic odor	OSHA (PEL) 400 ppm (TWA) Respiratory Protection: Mechanical: Room Ventilation is Adequate:			
Eye Protection: Protective Gloves: Ventilation Requirements SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES Appearance & Odor: Clear liquid, characteristic odor Boiling Point (°F): Appx. 212 Specific Gravity (H20) (±0.005): Vapor Pressure (mm Hg) Not available	OSHA (PEL) 400 ppm (TWA) Respiratory Protection: Mechanical: Room Ventilation is Adequate: ✓ Flammable Limits: Upper: Not available Lower: Not available 1.040 pH (± 0.5) 8.5			
Eye Protection: Protective Gloves: Ventilation Requirements SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES Appearance & Odor: Clear liquid, characteristic odor Boiling Point (°F): Appx. 212 Specific Gravity (H20) (±0.005): Vapor Pressure (mm Hg) Not available Solubility in Water: Complete Insoluble Evaporation Rate (vs H20) Faster Sleep	OSHA (PEL) 400 ppm (TWA) Respiratory Protection: Mechanical: Room Ventilation is Adequate: ✓ Flammable Limits: Upper: Not available Lower: Not available 1.040 pH (± 0.5) 8.5 Vapor Density (Air=1) Not available			
Eye Protection: Protective Gloves: Ventilation Requirements SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES Appearance & Odor: Clear liquid, characteristic odor Boiling Point (°F): Appx. 212 Specific Gravity (H20) (±0.005): Vapor Pressure (mm Hg) Not available Solubility in Water: Complete Insoluble Evaporation Rate (vs H20) Faster Signature Signature Faster Faster Signature Faster Faster Faster Signature Faster Faster Signature Faster	OSHA (PEL) 400 ppm (TWA) Respiratory Protection: Mechanical: Room Ventilation is Adequate: Flammable Limits: Upper: Not available Lower: Not available 1.040 pH (± 0.5) 8.5 Vapor Density (Air=1) Not available Emulsifiable (or Dispersible) Slightly (or Partial) Ower About the Same Melting point/frozen point: Not available Partition Coefficient: n-octanol/water: Not available			
Eye Protection: Protective Gloves: Ventilation Requirements SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES Appearance & Odor: Clear liquid, characteristic odor Boiling Point (°F): Appx. 212 Specific Gravity (H20) (±0.005): Vapor Pressure (mm Hg) Not available Solubility in Water: Complete Insoluble Evaporation Rate (vs H20) Faster Sie	OSHA (PEL) 400 ppm (TWA) Respiratory Protection: Mechanical: Room Ventilation is Adequate: ✓ Flammable Limits: Upper: Not available Lower: Not available 1.040 pH (± 0.5) 8.5 Vapor Density (Air=1) Not available Emulsifiable (or Dispersible) Slightly (or Partial) ower ✓ About the Same			
Eye Protection: Protective Gloves: Ventilation Requirements SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES Appearance & Odor: Clear liquid, characteristic odor Boiling Point (°F): Appx. 212 Specific Gravity (H20) (±0.005): Vapor Pressure (mm Hg) Not available Solubility in Water: Complete Insoluble Evaporation Rate (vs H20) Faster Sle Flash Point (T.C.C.): 178 °F Odor Threshold: Not available	OSHA (PEL) 400 ppm (TWA) Respiratory Protection: Mechanical: Room Ventilation is Adequate: Flammable Limits: Upper: Not available Lower: Not available 1.040 pH (± 0.5) 8.5 Vapor Density (Air=1) Not available Emulsifiable (or Dispersible) Slightly (or Partial) Ower About the Same Melting point/frozen point: Not available Partition Coefficient: n-octanol/water: Not available			
Eye Protection: Protective Gloves: Ventilation Requirements SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES Appearance & Odor: Clear liquid, characteristic odor Boiling Point (°F): Appx. 212 Specific Gravity (H20) (±0.005): Vapor Pressure (mm Hg) Not available Solubility in Water: Complete Insoluble Evaporation Rate (vs H20) Faster Sle Flash Point (T.C.C.): 178 °F Odor Threshold: Not available Auto-Ignition Temperature: Not available Decomposition Temperature: Not available	OSHA (PEL) 400 ppm (TWA) Respiratory Protection: Mechanical: Room Ventilation is Adequate: Flammable Limits: Upper: Not available Lower: Not available 1.040 pH (± 0.5) 8.5 Vapor Density (Air=1) Not available Emulsifiable (or Dispersible) Slightly (or Partial) Ower About the Same Melting point/frozen point: Not available Partition Coefficient: n-octanol/water: Not available			

Acute Toxicity: LD50/oral/rat >5,000 mg/kg		Skin Sensitization	n: Not a sensit	lizer	
Skin Irritation: None		Mutagenicity: Not a mutagen			
Eye Irritation: Causes eye irritation	itation: Causes eye irritation		Reproductive Toxicity: None		
Carcinogen/Suspect Carcinogen Ingredients:	NTP	OSHA	ARC	✓	NONE
SECTION 12 - ECOLOGICAL INFORMATION					
Ecotoxicity: Not reported					
W					
	of itself reg	ulated as a haza	ardous wast	e as d	defined in 40CFR261
SECTION 13 - DISPOSAL CONSIDERATIONS Waste Disposal Methods: This product is not Dispose of in accordance.	of itself reg	ulated as a haza applicable Fede	ardous wast eral, State a	e as d	defined in 40CFR261 cal ordinances.
Waste Disposal Methods: This product is not	of itself reg rdance with	ulated as a haza applicable Fede	ardous wast eral, State a	e as d	defined in 40CFR261 cal ordinances.
Waste Disposal Methods: This product is not Dispose of in accor	of itself reg rdance with	ulated as a haza applicable Fede	ardous wast eral, State a	e as d	defined in 40CFR261 cal ordinances.
Waste Disposal Methods: This product is not Dispose of in accor	of itself reg rdance with	ulated as a haza applicable Fede	ardous wast eral, State a	e as d	defined in 40CFR261 cal ordinances.
Waste Disposal Methods: This product is not Dispose of in accor	of itself reg rdance with	ulated as a haza applicable Fede	ardous wast eral, State a	e as d	defined in 40CFR261 cal ordinances.
Waste Disposal Methods: This product is not Dispose of in accor	of itself reg rdance with	ulated as a haza applicable Fede	ardous wast eral, State a	e as d	defined in 40CFR261 cal ordinances.
Waste Disposal Methods: This product is not Dispose of in accor	of itself reg rdance with	ulated as a haza applicable Fede	ardous wast eral, State a	e as d	defined in 40CFR261 cal ordinances.
Waste Disposal Methods: This product is not	of itself reg rdance with	ulated as a haza applicable Fede	ardous wast eral, State a	e as d	defined in 40CFR26 ² cal ordinances.

SECTION 16 - OTHER INFORMATION		
DATE PREPARED: 1/3/2022		
HMIS HAZARD	RATINGS:	
HEALTH	1	
FLAMMABILITY	0	
REACTIVITY	0	
PERSONAL PROTECTION FOLLIPMENT	В	

SARA 302 Health Hazard: Acute

SARA 313 Chemicals: None